

Tool 55890.4000

HYP

Innovative wood connection systems for highest requirements.



DIN EN 1090-2



Tool Lifting clamps PowerClamp

Lifting clamp PowerClamp III 55890.4000

Lifting clamp PowerClamp III D40/90

The lifting clamps - the latest innovation in timber construction.

Enables you easily to raise wooden beams and massive edge glued panels through a simple and quick fastening of the lifting clamps. Depending on the demand the D40/90 is appropriate for a load carrying capacity up to 1500 kg, the D25/70 for a load carrying capacity up to 500 kg. Drill, apply, lift!

Advantages of PowerClamp

- Major time savings
- No other lifting gear needed
- No damage of wood surface
- No soiling
- RFID-Transponder for digital recording and theft protection (D40/90)

Scope of supply

- 4x PowerClamp (D40/90)
- 1x Drill (40 mm)
- 1x High quality transport box

The low-maintenance lifting clamp is your optimal partner for each construction project. Despite the low weight it is extremely robust.



Description

4x D40/90 incl. drill and transport case



Pitzl Metallbau GmbH & Co.KG Siemensstraße 26 D - 84051 Altheim Phone: +49 8703 9346-0 Fax: +49 8703 9346-55 E-mail: info@pitzl-connectors.com Product information and terms and conditions at www.pitzl-connectors.com

Tool Lifting clamps PowerClamp

Lifting clamp PowerClamp III 55890.4000

Assembly instructions 55890.4000

Application

The application is easy as can be. A drill-hole size of just 40 mm is sufficient. Insert the clamps and you can already effortless lift the structural element.



Pitzl Metallbau GmbH & Co.KG Siemensstraße 26 D - 84051 Altheim

Phone: +49 8703 9346-0 Fax: +49 8703 9346-55 E-mail: info@pitzl-connectors.com Product information and terms and conditions at www.pitzl-connectors.com